

GEPPETTO®-EIS





Our competence

The company GEPETTO EIS GmbH is a company with many years of experience in the ice cream industry.

We are manufacturer of spaghetti ice cream presses and ice cream scoop showers and dryers as well as other stainless steel products.

The philosophy of the company GEPETTO EIS is to continuously improve and develop its products.

The name Geppetto stands for innovation.

Our company is located in the North of Germany.

Most of our sales are handled by wholesalers and specialist dealers in Germany.

Our wholesalers and specialist dealers endeavour to provide our customers with advice and support through trained staff.

We offer professional competence, advice and service, among other things through training courses, which can also take place at our dealers' premises as part of an inhouse exhibition.

You can't buy experience and love for your job, but you can make your work more pleasant and efficient by choosing the right product.

GEPETTO EIS will be happy to advice you on the selection of products and machines.

Consultation and Sales

Karina - Claudia Ienco

Tel.: +49 (0) 4431 - 92 22-6
Mail: info@geppetto-eis.de

Technician, Development and Sales

Ottaviano Ienco

Tel.: +49 (0) 4431 - 94 55 60-6
Mail: ienco@geppetto-eis.de

Order processing

Wiebke Benkel-Harmjanz

Tel.+49 (0) 4431 - 94 55 60-6
Mail: office@geppetto-eis.de

Social
Media



GEPPETTO®

YouTube

We invite you to take a look at our company and product videos

GEPPETTO®-EIS

Geppetto-Eis GmbH



Salva Cono



Ice press Bella



Ice press Unica



Ice press 190P



Ice press 180P



Ice press Piccola



Ice press Futura



Milk & beverage pump

serve drinks simply



Item no. highlighted in blue
= Fast delivery

GEPPETTO®

Our own brand



**A perfect addition to any catering establishment!
Whether cappuccino, milkshake or orange juice,
the beverage pump is ideal for portioning
drinks in the right portion!**

The advantages

- Developed on the basis of our practical experience
- Maximum hygiene through targeted dosage of drinks
- Easy handling
- Space-saving
- Easy cleaning
- Low maintenance costs
- Can be mounted on every work surface



Die function

A perfect addition to any refrigerated counter. When serving, the drinks are dispensed via the pump. Thanks to the milk and beverage pump, constantly opening and closing of the refrigerator is a thing of the past. No dripping or spilling of drinks and no interruption of the cold chain.



A maximum of hygiene and cleanliness!



Milk & beverage pump

serve drinks simply



Item no. highlighted in blue
= Fast delivery

GEPPETTO®

Our own brand



**Simple operation
with only one hand!**

Pump for milk and other beverages

- Housing with tube, outlet spout, Operating button incl. switch and mounting plate
- Power supply unit in housing 230 V / 12 V
- Suction pump with suction hose
- Material: High-quality stainless steel
- Dimensions: W 50 x D 150 x H 304 mm
- Weight 3 kg

No. **46090**



**Hygiene and
protection from bacteria!**



← **Outlet spout**

← **Operating
push-button**

↘ **Can be mounted
on any Worktop**



Scope of delivery

Cleaner & dryer

For the ice cream scoop
Built-in models



Item no. highlighted in blue
= Fast delivery




No more
water drops in
the ice!

Hygiene and protection against bacteria!




The function

The cleaner and dryer for ice cream scoops is child's play to operate! By pressing or pushing down the white POM pin, the scoop is carefully cleaned from the inside and outside. The ice cream scoop is then dried inside and out by compressed air according to the same principle.



wash



dry

The advantages

- developed on the basis of our many years of practical experience
- maximum hygiene through targeted cleaning and drying process!
- minimal water consumption during cleaning!

- no more ice drops in the ice cream
- the high quality of the ice cream is preserved!
- no need for draining cloths

Scoop shower GEPPETTO®, adjustable

incl. water saving aerator and ball valve

No. **23156-1**



Scoop dryer GEPPETTO®, adjustable

incl. hose connection for PU hose 4x6 mm and flow regulator

No. **23156-2**



Built-in sink with scoop shower GEPPETTO®

- Scoop sink, built-in model consisting of
- Built-in sink, standardised
 - Cut-out dimensions 250 x 95 mm
 - Scoop shower, adjustable
 - Overflow pipe
 - Spare gasket set included
 - High-quality stainless steel
 - orange knock-off bar
 - incl. tray base reinforcement

- optional: insert plate art. no. 23156-35 see p. 6

Technical data:

- Required water pressure: 1-4 bar
 - Water connection thread 3/8 inch
 - Drain thread 1/2 inch
- Built-in sink Dimensions: W 270 x D 110 x H 115 mm

No. **23170**



Built-in sink with scoop shower GEPPETTO®

- Scoop sink, built-in model consisting of
- Built-in sink, standardised
 - Cut-out dimensions 250 x 95 mm
 - Scoop shower, adjustable
 - Overflow pipe
 - Spare gasket set included
 - High-quality stainless steel
 - orange knock-off bar

- optional: divider plate art. no. 23193 see p. 4
- optional: sponge holder, item no. 23194 see p. 6

Technical data:

- Required water pressure: 1-4 bar
 - Water connection thread 3/8 inch
 - Drain thread 1/2 inch
- Built-in sink Dimensions: W 270 x D 110 x H 115 mm

No. **23191**



Built-in sink with scoop shower and dryer GEPPETTO®

- Scoop sink, built-in model consisting of
- Built-in sink, standardised
 - Cut-out dimensions 250 x 95 mm
 - Scoop shower, adjustable
 - Portioner dryer, adjustable
 - Overflow pipe
 - Spare gasket set included
 - High-quality stainless steel
 - Knock-off bar, orange
 - incl. tray base reinforcement

- optional: insert plate art. no. 23156-35 see p. 6

Technical data:

- Required water pressure: 1-4 bar
 - Water connection thread 3/8 inch
 - Drain thread 1/2 inch
 - Connector for air hose Ø 6 mm
- Built-in sink dimensions: W 270 x D 110 x H 115 mm

No. **23158**

Cleaner & dryer

For the ice cream scoop
Built-in models



Item no. highlighted in blue
= Fast delivery

Mobile scoop sink with cleaner

- Complete station incl.
- Built-in sink
 - Scoop shower
 - Stainless steel housing W 650 x D 250 x H 850 mm
 - on castors
 - 12 V water pump incl. 230 V power supply unit
 - with 10 litre fresh and waste water canister in the housing
 - Easy to transport
 - adjustable
 - incl. insert tray
 - for mobile use

No. **23183**



**Can be connected
to 12 V or 230 V**



TOP

Add-on sink with scoop shower GEPETTO®

- Complete station incl.
- Built-in sink, standardised
 - Scoop shower, adjustable
 - Overflow pipe
 - Replacement seal kit included
 - High-quality stainless steel
 - Knock-off bar, orange
 - Wall mounting add-on model
 - incl. tray base reinforcement

- optional: insert plate art. no. 23156-35 see p. 6

Technical data:
- Required water pressure: 1-4 bar
- Water connection thread 3/8 inch
- Drain thread 1/2 inch

Wall bracket Dimensions: W 270 x D 110 x H 340 mm

No. **23172**

Wall bracket Dimensions: W 270 x D 110 x H 480 mm

No. **23172-1**

Wall bracket Dimensions: W 270 x D 110 x H 610 mm

No. **23173**



TOP

Add-on sink with scoop shower GEPETTO®

- Complete station incl.
- Built-in sink, standardised
 - Scoop shower, adjustable
 - Overflow pipe
 - Replacement seal kit included
 - High-quality stainless steel
 - Knock-off bar, orange
 - Wall mounting add-on model

- optional: Partition plate art. no. 23193 see p. 4
- Optional: Sponge holder, item no. 23194, see p. 6

Technical data:
- Required water pressure: 1-4 bar
- Water connection thread 3/8 inch
- Drain thread 1/2 inch

Wall bracket Dimensions: W 270 x D 110 x H 340 mm

No. **23192-1**

Wall bracket Dimensions: W 270 x D 110 x H 480 mm

No. **23192-2**

Wall bracket Dimensions: W 270 x D 110 x H 610 mm

No. **23192-3**



Add-on sink with scoop shower and dryer GEPETTO®

- Complete station incl.
- Built-in sink, standardised
 - Scoop shower, adjustable
 - Scoop dryer, adjustable
 - Overflow pipe
 - Replacement seal kit included
 - High-quality stainless steel
 - Knock-off bar, orange
 - Wall mounting add-on model
 - incl. tray base reinforcement
 - optional: insert plate art. no. 23156-35 see p. 6
- Technical data:
- Required water pressure: 1-4 bar
- Water connection thread 3/8 inch
- Drain thread 1/2 inch
- Connector for air hose Ø 6 mm

Wall bracket Dimensions: W 270 x D 110 x H 340 mm

No. **23157**

Wall bracket Dimensions: W 270 x D 110 x H 480 mm

No. **23157-1**

Wall bracket Dimensions: W 270 x D 110 x H 610 mm

No. **23156**

Cleaner & dryer

Accessories and
wearing parts



Item no. highlighted in blue
= Fast delivery

Built-in sink with scoop dryer GEPETTO®

- Built-in model consisting of
- Built-in sink, standardised
 - Scoop dryer, adjustable
 - Spare gasket set included
 - High-quality stainless steel
 - incl. bowl base reinforcement

Technical data:

- Drain thread 1/2 inch
- Connector for air hose \varnothing 6 mm
- Dimensions: W 270 x D 110 x H 115 mm (cut-out dimensions 250 x 95 mm)

No. **23171**



Wall bracket "light" for built-in sink GEPETTO®

Wall bracket for all scoop sinks.
Easy to attach to the counter.

Material: high-quality stainless steel

Wall bracket dimensions: W 270 x D 110 x H 340 mm

No. **23156-80**



Seal and wear parts kit

for scoop shower and dryer GEPETTO®

- Suitable for portioners
and tuckner GEPETTO®
- Material: plastic

No. **23156-65a**



POM-Plunger

for scoop shower and dryer

- Suitable for scoop shower
and dryer GEPETTO®
- Material: POM

No. **23156-11-b**



Air hose

for scoop dryer
and compressors

- Air hose diameter: outer 6 mm, inner 4 mm
- Material: Polyurethane, black
- running metre

No. **91503**



Cross-connector

for \varnothing -6mm air hose

- Cross connector for hose \varnothing : 6 mm
- Material: Plastic

No. **23156-20**



T-connector

for \varnothing -6mm air hose

- T-connector for hose \varnothing : 6 mm
- Material: Plastic

No. **91085**



Straight-connector

for \varnothing -6mm air hose

- Straight connector for hose \varnothing : 6 mm
- Material: Plastic

No. **91412**



Inlay tray

- Suitable for GEPETTO® built-in sinks
with side-mounted shower
- Material: Stainless steel
- Dimensions: W 185 x D 87 x H 70 mm
- Suitable for item no. 23170 and 23158

No. **23156-35**



Separating plate

- Suitable for GEPETTO® built-in sinks
with centre-mounted shower
- Material: Stainless steel
- Suitable for art. no. 23191

No. **23193**



Overflow pipe

- Suitable for GEPETTO® built-in sinks
- Material: stainless steel

for side-mounted shower

No. **23156-38**

for centre-mounted shower

No. **23156-52**



Tapping rubber

for scoop sink

- Suitable for GEPETTO® built-in sinks
- Material: silicone
- Colour: orange
- Length: 165 mm

No. **23156-46**



Sponge tray

for scoop sink

- Suitable for GEPETTO® built-in sinks
with centre-mounted shower
- Material: Stainless steel
- Suitable for art. no. 23191

No. **23194**



Micro in-line filter

for \varnothing -6mm air hose

- Suitable for GEPETTO® built-in sinks
with scoop dryer
- for air hose diameter: outside 6 mm, inside 4 mm
- Material: Stainless steel

No. **23156-23**



Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPPETTO® Futura

Spaghetti ice press GEPPETTO® Futura (F) with mould

Included in the price:
- 5 m compressed air hose
- Stand base
- Spaghetti mould

Technical specifications:

- Material: high-quality stainless steel
- Option: pneumatic
- Pressure capacity: max. 240 kg/cm²
- Dimensions: W 120 x D 275 x H 518mm
- Weight: approx. 14 kg

No. **91006**

Futura system

Suitable formers
are available in
various designs.



Choose from the variety:



Spaghetti



Lasagne



Asparagus



Tagliatelle



Soft ice



French Fries

Mould Spaghetti

No. **91124**

Mould Lasagne

No. **91125**

Mould Asparagus

No. **91126**

Mould Tagliatelle

No. **91127**

Mould Softeis

No. **91128**

Mould French fries

No. **91129**

Maximum
hygiene

Take a
look at
our video:



i

You will find the right
compressor for your
needs on pages 16 & 17.
Please contact us!

Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

Spaghetti ice press GEPETTO® Fantastica (F) with mould

- Included in the price:
- 1 spaghetti mould with lid
 - Stand base with integrated drip tray
 - 5 m compressed air hose

Futura system
No. **91025**

Normal system
No. **91026**



- Technical data:
- Material: High quality stainless steel
 - Option: pneumatic
 - Pressure capacity: max. 240 kg/cm²
 - Dimensions: W 202 x D 290 x H 622 mm
 - Weight: approx. 15 kg

GEPETTO® Fantastica



Futura system

Suitable formers are available in various designs.



Choose from the variety:



Spaghetti



Lasagne



Asparagus



Tagliatelle



Soft ice



French Fries

Mould Spaghetti

No. **91124**

Mould Lasagne

No. **91125**

Mould Asparagus

No. **91126**

Mould Tagliatelle

No. **91127**

Mould Softeis

No. **91128**

Mould French fries

No. **91129**

Standard system

Choose from the variety:



Spaghetti



Lasagne



Asparagus



Tagliatelle



Soft ice



French Fries

Mould Spaghetti

No. **91101**

Mould Lasagne

No. **91103**

Mould Asparagus

No. **91104**

Mould Tagliatelle

No. **91105**

Mould Softeis

No. **91106**

Mould French fries

No. **91107**

The absolute revolution and innovation!

Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPPETTO® Fantastica



Suitable for
large plates



Maximum hygiene

The spaghetti ice cream press has
no contact with the ice cream. This
prevents the formation of bacteria.

Available with
Futura or normal
system



i

You will find the right
compressor for your
needs on pages 16 & 17.
Please contact us!

Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

**our
newest
model**

Spaghetti ice press GEPETTO® Unica (F) with mould

- Included in the price:
- 1 spaghetti mould with lid
 - Stand base
with integrated drip tray
 - 5 m compressed air hose

Technical data:

- Material: high-quality stainless steel
- Option: pneumatic
- Pressure capacity: max. 240 kg/cm²
- Dimensions: W 202 x D 290 x H 622 mm
- Weight: approx. 15 kg

No. **91020**



Lubri-Film Plus

Food-approved grease for lubricating
sealing rings, etc.
Tube of 113 g

No. **03055**

GEPETTO® Unica




Futura system

Suitable formers
are available in
various designs.



Choose from the variety:



Mould Spaghetti

No. **91124**

Mould Lasagne

No. **91125**

Mould Asparagus

No. **91126**

Mould Tagliatelle

No. **91127**

Mould Softeis

No. **91128**

Mould French fries

No. **91129**

**Take a
look at
our video:**



The absolute revolution and novelty!

Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPPETTO® Unica

Height adjustable



Maximum hygiene



Suitable for large plates



i

You will find the right
compressor for your
needs on pages 16 & 17.
Please contact us!

Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPPETTO® 190P

Spaghetti ice press GEPPETTO® 190P (F) with mould

Included in the price:
- 5 m compressed air hose
- Stand base
- Spaghetti mould

Technical specifications:

- Material: high-quality stainless steel
- Option: pneumatic
- Pressure capacity: max. 240 kg/cm²
- Dimensions: W 185 x D 270 x H 620 mm
- Weight: approx. 14.5 kg

No. **91004**

Standard system



Choose from the variety:



Spaghetti



Lasagne



Asparagus



Tagliatelle



Soft ice



French Fries

Mould Spaghetti

No. **91101**

Mould Lasagne

No. **91103**

Mould Asparagus

No. **91104**

Mould Tagliatelle

No. **91105**

Mould Softeis

No. **91106**

Mould French fries

No. **91107**

Take a
look at
our video:



i

You will find the right
compressor for your
needs on pages 16 & 17.
Please contact us!



Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPPETTO® 180P

Spaghetti ice press GEPPETTO® 180P (F) with mould

Included in the price:

- 5 m compressed air hose
- Stand base
- Spaghetti mould

Technical specifications:

- Material: high-quality stainless steel
- Option: pneumatic
- Pressure capacity: max. 240 kg/cm²
- Dimensions: W 150 x D 255 x H 590 mm
- Weight: approx. 11.5 kg

No. **91000**



Standard system



Choose from the variety:



Spaghetti



Lasagne



Asparagus



Tagliatelle



Soft ice



French Fries

Mould Spaghetti

No. **91101**

Mould Lasagne

No. **91103**

Mould Asparagus

No. **91104**

Mould Tagliatelle

No. **91105**

Mould Softeis

No. **91106**

Mould French fries

No. **91107**



i

You will find the right
compressor for your
needs on pages 16 & 17.
Please contact us!


Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPPETTO® Bella



Spaghetti ice press GEPPETTO® Bella (F) with mould

- High-quality stainless steel
- Removable plunger
- stable
- easy to clean

Included in the price:

- Spaghetti mould
- stand base

Technical data:

- Dimensions: W 150 x D 280 x H 510 mm
- Material: high-quality stainless steel
- Option: manual
- Weight: 5.4 kg

No. **91009**



Printing stamp
removable!



Suitable moulds are
available in various
designs.

Choose from the variety:



Spaghetti



Lasagne



Tagliatelle



Soft ice

Mould Spaghetti 3 mm

No. **91114**

Mould Spaghetti 4 mm

No. **91114-4**

Mould Lasagne

No. **91115**

Mould Tagliatelle

No. **91116**

Mould Soft ice

No. **91117**

Take
a look at
our video:



Spaghetti Ice cream presses

the practical helpers



Item no. highlighted in blue
= Fast delivery

GEPETTO® Piccola

Spaghetti ice press GEPETTO® Piccola (F) with mould

Included in the price:

- 5 m compressed air hose
- Stand base
- Spaghetti mould

Technical specifications:

- Material: high-quality stainless steel
- Option: pneumatic
- Pressure capacity: max. 240 kg/cm²
- Dimensions: W 120 x D 250 x H 480 mm
- Weight: approx. 7.9 kg

No. **91011**

Standard system



Choose from the variety:



Spaghetti



Lasagne



Asparagus



Tagliatelle



Soft ice



French Fries

Mould Spaghetti

No. **91101**

Mould Lasagne

No. **91103**

Mould Asparagus

No. **91104**

Mould Tagliatelle

No. **91105**

Mould Softeis

No. **91106**

Mould French fries

No. **91107**



Take a
look at
our video:



i

You will find the right
compressor for your
needs on pages 16 & 17.
Please contact us!



Lubri-Film Plus

Food-approved grease for
lubricating sealing rings, etc.
Tube of 113 g

No. **03055**

Compressors

Accessories for spaghetti ice cream presses from various manufacturers
Pssst.....the quiet ones



- Quiet-running compressors that are (almost) inaudible.
- With less than 50dB(A) of the compressor series from SIL-Air you can't even speak of noise, it's simply quiet.
- Whisper-quiet compressors produce a sound level that comes close to the hum of a refrigerator motor.

Item no. highlighted in blue
= Fast delivery



Compressor SilAir 30/D

Type: SIL-AIR 30/D
Container volume: 4 litres
Voltage: 230 V/50 Hz
Power: 200 W
Suction capacity: 25 l/min
Noise emission: 40 db/A
e. Delivery: 18.5 l/min (0.65CFM)
Max. pressure: 8 bar / 116 psi
Weight: 22 kg
Dimensions: W 410 x D 180 x H 430 mm

No. **49008**



Compressor SilAir 30/6

Type: SIL-AIR 30/6
Container volume: 6 litres
Voltage: 230 V/50 Hz
Power: 200 W
Suction capacity: 25 l/min
Noise emission: 40 db/A
e. Delivery: 18.5 l/min
Max. pressure: 8 bar / 116 psi
Weight: 17 kg
Dimensions: W 300 x D 300 x H 440 mm

No. **49007**

Special compressor oil SINCOM/32E

for our
oil-lubricated
compressors
with filler tip
Quantity: 500 ml



No. **50005**



Compressor SilAir 50/D

Type: SIL-AIR 50/D
Tank volume: 6 litres
Voltage: 230 V/50 Hz
Power: 340 W
Suction capacity: 50 l/min
Noise emission: 40 db/A
e. Delivery: 37 l/min (0.88 CFM)
Max. pressure: 8 bar / 116 psi
Weight: 23 kg
Dimensions: W 430 x D 200 x H 450 mm

No. **49010**



Compressor SilAir 50/6

Type: SIL-AIR 50/6
Tank volume: 6 litres
Voltage: 230 V/50 Hz
Power: 340 W
Suction capacity: 50 l/min
Noise emission: 40 db/A
e. Delivery: 37 l/min (0.88 CFM)
Max. pressure: 8 bar / 116 psi
Weight: 20 kg
Dimensions: W 340 x D 340 x H 440 mm

No. **49009**



Compressor Black Panther

Type: P 50/24 AL
Container volume: 24 litres
Voltage: 230 V/50 Hz
Power: 340 W
Suction capacity: 50 l/min
Noise emission: 40 db/A
e. Delivery: 18.5 l/min
Max. pressure: 8 bar / 116 psi
Weight: 30 kg
Dimensions: W 400 x D 400 x H 510 mm

No. **49021**

Oil free compressors and accessories



- Quiet-running compressors that are (almost) inaudible.

Maintenance, repair & spare parts service

Item no. highlighted in blue
= Fast delivery



Pneumatic accessories

Do you need pneumatic connection accessories? Talk to us!

We have various adapters, plug-in and screw connectors, distributors, couplings and hose etc. in various designs and sizes in stock.

Please also take a look at our website. There you will find a large part of our product range:

www.geppetto-eis.de



Condensate drainage kit

The kit consists of:
Collection container (1 litre volume), timer, connection cable, hose connections

Time-controlled, automatic condensate separator for retrofitting to a compressor. With this kit, you can always keep an eye on the condensate produced and dispose of it in good time. The condensate produced is drained from the tank of your compressor, increasing its service life.

No. **50029**

OIL-FREE



Compressor Baby Mamba

Type: Baby Mamba
Container volume: 3.5 litres
Voltage: 230 V/50 Hz
Power: 450 W
Suction capacity: 92 l/min
Noise emission: 50 db/A
e. Delivery: 49 l/min (1.75 CFM)
Max. pressure: 7 bar / 101 psi
Weight: 18 kg
Dimensions: W 440 x D 230 x H 390 mm

No. **49004**

OIL-FREE



Compressor SilAir CW90/D

Type: SIL-AIR CW90/D
Container volume: 6 litres
Voltage: 230 V/50 Hz
Power: 680 W
Suction capacity: 91 l/min
Noise emission: 58 db/A
e. Delivery: 49 l/min (1.75 CFM)
Max. pressure: 7 bar / 102 psi
Weight: 23 kg
Dimensions: W 450 x D 200 x H 480 mm

No. **49015**

OIL-FREE



Compressor SilAir CW90 2/24

Type: SIL-AIR CW90x2/24
Tank volume: 24 litres
Voltage: 230 V/50 Hz
Power: 1360 W
Suction capacity: 182 l/min
Noise emission: 63 db/A
e. Delivery: 98 l/min (3.46 CFM)
Max. pressure: 7 bar / 101 psi
Weight: 55 kg
Dimensions: W 650 x D 360 x H 550 mm

No. **49019**

Turbomixer

should not be missing in any ice laboratory!



Maintenance, repair & spare parts service

Item no. highlighted in blue = Fast delivery

Turbomixer Piccolo GEPETTO® with 2 attachments

Technical data:

- Dimensions: W 430 x D 500 x H 760-1440 mm
- Volume per cycle/litre: 3-15 l
- Connection: 230V/50 Hz
- Power consumption: 0.75 kW
- Speed: 5,000-11,000/min.
- Circumferential speed/rotor: approx. 22 m/sec.
- Weight: 55 kg

No. **60021**

as above, but with US engine coupling

No. **60021-M**

The scope of delivery includes 2 standard attachments: optionally with 2 dispersing units or with 1 dispersing and 1 shredding unit

A large dispersion unit is also available at an extra charge



The turbo mixers are now optionally with new US motor coupling available



Turbomixer Digital GEPETTO® with 2 attachments

Technical data:

- Dimensions: W 430 x D 500 x H 760-1440 mm
- Volume per cycle/litre: 3-15 l
- Connection: 230V/50 Hz
- Power consumption: 0.75 kW
- Speed: 5,000-11,000/min.
- Circumferential speed/rotor: approx. 22 m/sec.
- Weight: 55 kg

No. **60021-4**

as above, but with US engine coupling

No. **60021-4-M**

The scope of delivery includes 2 standard attachments: optionally with 2 dispersing units or with 1 dispersing and 1 shredding unit

A large dispersion unit is also available at an extra charge

Turbomixer

Accessories and wearing parts



Maintenance, repair & spare parts service

Item no. highlighted in blue
= Fast delivery



Standard

Shredder unit, complete incl. rod

No. **60021-5**



Wear bush

No. **61010-4**



Bushing for radial bearing

No. **61010-3**



Motor coupling
GEPPETTO®

No. **61010-50**



Motor coupling
Tafec

No. **61010-5**



Teflon axial bearing
10 pcs. bag

No. **61010-1**



Teflon radial bearing
10 pcs. bag

No. **61010-2**



Standard

Dispersing unit fine, complete incl. rod

No. **60021-3**



Big

Dispersing unit fine, large, complete incl. rod

No. **60021-7**



Standard

Dispersing unit universal, complete incl. rod

No. **60021-2**



Big

Dispersing unit universal large, complete incl. rod

No. **60021-0**

Ice shaker Frullini

Proven and good...



**Maintenance, repair
& spare parts service**

Grün unterlegte Artikel-Nr.
= individuelles Angebot



Frullino Frozen ice shaker with two speed settings

For the preparation of cocktails and ice shakes



With two speed settings



Activation by microswitch

Frullino Frozen ice shaker FZ2075/3 with two speed settings and three stainless steel containers

Dimensions: W 390 x D 180 x H 530 mm
Capacity: 3 x 0.8 litres
Voltage: 230V / 50/60 Hz
Power: 3 x 150 W
Rotation/min: 10.000 / 15.000 rpm
Weight: 8 kg

No. **46023**

Frullino Frozen ice shaker FZ2075/L with two speed settings and one stainless steel container

Dimensions: W 180 x D 210 x H 530 mm
Capacity: 0.8 litres
Voltage: 230V / 50/60 Hz
Power: 180 W
Rotation/min: 10.000 / 15.000 rpm
Weight: 4 kg

No. **60009**

Frullino Frozen ice shaker FZ2075/2 with two speed settings and two stainless steel containers

Dimensions: W 280 x D 210 x H 530 mm
Capacity: 2 x 0.8 litres
Voltage: 230V / 50/60 Hz
Power: 2 x 180 W
Rotation/min: 10.000 / 15.000 rpm
Weight: 7 kg

No. **46022**



No. **61006-3**



No. **61006-2**

Other mixing attachments are available on request (Special Shake and Turbo)

Milk shaker Frullini

Proven and good...



**Maintenance, repair
& spare parts service**

Grün unterlegte Artikel-Nr.
= individuelles Angebot



Frullino milk shaker FL2005/L with one stainless steel container

Dimensions: W 180 x D 210 x H 530 mm
Capacity: 0.8 litres
Voltage: 230V / 50/60 Hz
Power: 150 W
Rotation/min: 18.000 rpm
Weight: 4 kg

No. **60010**

Frullino milk shaker FL2005/L with one plastic container

No. **60011**



Replacement blender jug for Frullino in stainless steel and plastic

stainless steel plastic

No. **61004** No. **61005**

Frullino milkshaker

- Ideal for preparing classic milkshakes or proteinshakes



Frullino milk shaker FL2027/L with three stainless steel containers

Dimensions: W 390 x D 180 x H 530 mm
Capacity: 3 x 0.8 litres
Voltage: 230V / 50/60 Hz
Power: 3 x 150 W
Rotation/min: 18.000 rpm
Weight: 8 kg

No. **60014**

Frullino milk shaker FL2027/L with three plastic containers

No. **60015**



**One
speed setting**



**Activation by
microswitch**



Frullino milk shaker FL2006/L with two stainless steel containers

Dimensions: W 280 x D 210 x H 530 mm
Capacity: 2 x 0.8 litres
Voltage: 230V / 50/60 Hz
Power: 2 x 150 W
Rotation/min: 18.000 rpm
Weight: 5 kg

No. **60012**

Frullino milk shaker FL2006/L with two plastic containers

No. **60013**

Ice trays






Ice cream containers



Item no. highlighted in blue
= Fast delivery



You will receive a net/net price list for ice cream bowls and lids



Stainless steel ice cream containers

Dimensions: W 360 x D 250 mm

- Height: 80 mm No. 23011
- Height: 120 mm No. 23012
- Height: 150 mm No. 23013
- Height: 180 mm No. 23014

Stainless steel ice cream containers

Dimensions: W 360 x D 165 mm

- Height: 80 mm No. 23010
- Height: 120 mm No. 23007
- Height: 150 mm No. 23008
- Height: 180 mm No. 23009

Stainless steel ice cream containers

Dimensions: W 330 x D 250 mm

- Height: 80 mm No. 23023
- Height: 120 mm No. 23024
- Height: 150 mm No. 23025
- Height: 180 mm No. 23026

Stainless steel ice cream container

Dimensions: W 330 x D 165mm

- Height: 80 mm No. 23019
- Height: 120 mm No. 23020
- Height: 150 mm No. 23021
- Height: 180 mm No. 23022

Pozzetti round ice cream container

Diameter: 200 mm
Material: Stainless steel

Height: 125 mm No. 23031

Height: 250 mm No. 23030



Lid for Pozzetti round ice cream container

Diameter: 200 mm

Material: Stainless steel No. 23177

Material: Plastic No. 23181



can be ordered in any quantity! can be ordered in any quantity!
always in stock! always in stock! always in stock! always in stock!

Ice trays Ice cream containers



Item no. highlighted in blue
= Fast delivery

Lid for ice cream containers made of stainless steel GEPETTO®

The advantages

- easy handling
- smooth finish
- without recessed grip
- Stack and transport ice cream containers safely
- Easy to clean in the dishwasher
- Material: Brushed stainless steel



Dimensions: W 360 x D 250 mm

No. **21010**

Dimensions: W 330 x D 250 mm

No. **21012**

Dimensions: W 360 x D 165 mm

No. **21011**

Dimensions: W 330 x D 165 mm

No. **21013**

Moulding holder 2.0 for the ice cream display case GEPETTO®

The advantages

- Keep the moulding machine refrigerated in the ice cream display case
- for maximum hygiene
- easy to attach to an ice tray
- the ice tray can be used as normal
- Cooling is not affected
- with easily removable drip tray
- Material: brushed stainless steel



For the wide ice-cream trays (250 mm)

Offers space for up to three moulds
Dimensions: W 256 x D 130 x H 132 mm

No. **23200**



For the narrow ice-cream trays (165 mm)

Offers space for up to two moulds
Dimensions: W 167 x D 130 x H 132 mm

No. **23201**

Plastic ice cream containers

Metallised top edge

Dimensions:
W 360 x D 165 x H 120 mm

No. **85233**



Lid for ice cream containers in plastic

Click system
Dimensions: W 360 x D 165 mm

No. **85233-1**



Polycarbonate lid for ice cream containers

Dome lid
Height: 8 cm
for ice cream bowls:
W 360 x D 250 mm

No. **21001**



Polycarbonate lid for ice cream containers

Dome lid
Height 8 cm
for ice-cream bowls:
W 360 x D 165 mm

No. **21001-1**



Polycarbonate lid for ice cream containers

Flat lid
Height 2 cm
for ice-cream bowls:
W 360 x D 165 mm

No. **21000-1**



can be ordered in any quantity! can be ordered in any quantity!
always in stock! always in stock! always in stock!

Ice cream cone silo

Ice cream cone holder



Item no. highlighted in blue
= Fast delivery



Card holder
Extra heavy design

Dimensions: W 155 x D 80 x H 150 mm

No. **23176**

Ice cream cone silo for Wonder-waffle incl. spoon tray and lid

Dimensions: W 170 x D 155 x H 530 mm

No. **94028**

Top Price



Customer side



Operator side

Ice cream cone silo for 2x3 rows of cones (6) incl. spoon tray and lid

Dimensions: W 210 x D 175 x H 530 mm

No. **94029**

Top Price



Customer side



Operator side

Ice cream cone silo for 3x6 waffle rows (18) made of clear Plexiglas

Dimensions: W 370 x D 240 x H 530 mm

No. **94030**

Top Price



Customer side



Operator side

Ice cream cone silo

Ice cream cone holder



Item no. highlighted in blue
= Fast delivery



Ice cream cone holder
Material acrylic

Dimensions: W 250 x D 90 x H 70 mm

No. **90290**



Customer side

Ice cream cone silo for wonder waffle made of clear Plexiglas

Dimensions: W 170 x D 155 x H 530 mm

No. **94028-1**



Operator side



Customer side

Ice cream cone silo for 2x3 rows of cones (6) made of clear Plexiglas

Dimensions: W 210 x D 175 x H 530 mm

No. **94029-1**



Operator side



Customer side

Ice cream cone silo for 3x6 waffle rows (18) made of clear Plexiglas

Dimensions: W 370 x D 240 x H 530 mm

No. **94030-1**



Operator side

Ice cream cone silo

Ice cream cone holder
Salva Cono



Item no. highlighted in blue
= Fast delivery

GEPPETTO®




SALVA CONO

the waffle gripper

Hand the ice-cream cone to the customer contactlessly!

Take a look at our video:




Optimally coordinated for maximum hygiene



Ice cream cone silo 6

For 2x3 waffle rows for croissants of any shape and size (except Wunderwaffle)
Height-adjustable waffle rest
Dimensions: W 210 x D 175 x H 530 mm
Subject to technical changes

No. **94031**



Ice cream cone silo 15

For 3x5 waffle rows for croissants of any shape and size (except Wunderwaffle)
Height-adjustable waffle rest
Dimensions: W 377 x D 240 x H 530 mm
Subject to technical changes

No. **94032**

Salva Cono Waffle gripper

For all waffle sizes (except Wunderwaffle) in a set of 2 pieces

No. **90415**



Waffle holder 4 especially for Salva Cono

Material: Stainless steel 1.4301
Opening width: 3 x 40 mm, 1 x 45 mm
Dimensions: W 275 x D 150 x H 221 mm
Subject to technical changes

No. **90111**




Ice cream cone holder

in different designs
Ice combs




Item no. highlighted in blue
= Fast delivery



Ice combs, set of 5 Material stainless steel

Dimensions: W 120 x D 95 mm

No. 90400



Ice combs, set of 4 Material plastic

Dimensions: W 145 x H 150 mm

No. 90351

Waffle holder for different waffle sizes made of clear Plexiglas


Dimensions: W 150 x D 300 x H 145 mm

No. 88190

Ice cream cone holder

3 holes à 26 mm
18/10 stainless steel
Dimensions: W 200 x D 95 x H 90 mm


No. 90109-3



Ice cream cone holder

4 holes à 26 mm
18/10 stainless steel
Dimensions:
W 270 x D 95 x H 90 mm


No. 90109-4



Ice cream cone holder

2 holes 26 mm each
1 31 mm hole,
18/10 stainless steel
Dimensions:
W 200 x D 95 x H 90 mm


No. 90109



Ice cream cone holder

2 holes 26 mm each
2 holes 31 mm each
18/10 stainless steel
Dimensions:
W 270 x D 95 x H 90 mm

No. 90110



Ice cream cone holder for 2 waffles

D: W 165 x H 200 mm

No. 90062-2



Ice cream cone holder for 3 waffles

D: W 165 x H 200 mm

No. 90062-3



Ice cream cone holder for 4 waffles

D: W 165 x H 200 mm

No. 90062-4



Waffle holder 3-hole stainless steel/plastic

D: W 165 x H 200 mm

No. 90060-3



Waffle holder 4-hole stainless steel/plastic

D: W 165 x H 200 mm

No. 90060-4

Information on

Order processing
Dispatch



Here you can find our
digital business card



Enquiries / orders / order processing

We will be happy to take your order by e-mail or telephone:

E-mail: info@geppetto-eis.de
Telephone: **+49 (0) 4431 / 945 56 06**

Office times

Mondays to Thursdays: 9:00 a.m. to 4:00 p.m.
Fridays: 9:00 to 14:00

Pick up

Collection possible by appointment

Dispatch

The dispatch takes place immediately after receipt of payment.
Depending on the type of goods, we ship by parcel service or forwarding agent.
As a rule, you will receive the goods within two to three working days.

Technical support / service

If you have any questions or problems, you can easily
Contact us via WhatsApp:

Mobile phone: **+49 (0) 162 3002035**

Returns

For any returns, please use our return form:

<https://www.geppetto-eis.de/downloads/>

Impressum

Produktinformationen
AGB's



GEPPETTO®-EIS



Product information

You can find our catalogue on our website, as well as operating instructions and data sheets of our products.

<https://www.geppetto-eis.de/downloads/>



General Terms and Conditions

Our general terms and conditions of delivery and business can be found via the QR code or at:

<https://www.geppetto-eis.de/agb/>

Imprint

Responsible for the content:

GEPPETTO EIS GmbH

Managing Director: Ottaviano Ienco

Visbeker Straße 51

27793 Wildeshausen

Contact:

Telephone: +49 (0) 44 31 – 9 45 56 06

Telefax: +49 (0) 44 31 – 7 38 39 8

E-mail: info@geppetto-eis.de

www.geppetto-eis.de

Misprints, errors and changes reserved





Geppetto Eis GmbH
Visbeker Str.51
27793 Wildeshausen



Tel. +49 (0) 4431 - 94 55 606
Fax +49 (0) 4431 - 73 83 98
E-Mail: info@geppetto-eis.de
Website: www.geppetto-eis.de